100-9909, 100-9910

ULTRA TORQUE™ Fastener Assembly Lube



# **SAFETY DATA SHEET**

## Section 1. Identification

Product identifier(s)/ Trademark(s) used on the	: ULTRA TORQUE™ Fastener Assembly Lube
label Other means of identification	: Part Numbers: 100-9908,100-9909,100-9910,100-9911,100-9912,100-9913
NSF H-1 Registration number	: Not available.

Relevant identified uses of the substance or mixture and uses advised against

Manufacturer	: HUSKEY Specialty Lubricants 1580 Industrial Ave. Norco, CA 92860 USA Tel: 1-951-340-4000 Tel: 1-888-448-7539 (Toll-free in the USA) Fax: 1-951-340-4011
Emergency telephone number (with hours of operation)	: CHEMTREC, U.S. : 1-800-424-9300 International: +1-703-527-3877 (24/7)

## Section 2. Hazards identification

OSHA/HCS status	<ul> <li>This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).</li> </ul>
Classification of the substance or mixture	: AQUATIC HAZARD (ACUTE) - Category 2
GHS label elements	
Signal word	: No signal word.
Hazard statements	: Toxic to aquatic life.
Precautionary statements	
General	Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand.
Prevention	: Avoid release to the environment.
Response	: Not applicable.
Storage	: Not applicable.

### Section 2. Hazards identification

Disposal

: Dispose of contents and container in accordance with all local, regional, national and international regulations.

Hazards not otherwise classified

# Section 3. Composition/information on ingredients

: None known.

Substance/mixture	: Mixture
Other means of	: Not available.
identification	

#### **CAS number/other identifiers**

CAS number	: Not applicable.
Product code	: 98700
Ingredient name	

Ingredient name	%	CAS number
Tungsten disulphide	1 - 5	12138-09-9
tert-Butylphenyl diphenyl phosphate	1 - 5	56803-37-3
Triphenyl phosphate	1 - 5	115-86-6
1-Propene, 2-methyl-, sulfurized	1 - 5	68511-50-2

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures

### Description of necessary first aid measures

Eye contact	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 20 minutes. Get medical attention if irritation occurs.
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	Flush contaminated skin with plenty of water. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

### Most important symptoms/effects, acute and delayed Potential acute health effects

#### Eye contact

: No known significant effects or critical hazards.

## Section 4. First aid measures

Inhalation	No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs/symp	<u>toms</u>
Eye contact	No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Indication of immediate me	edical attention and special treatment needed, if necessary
Notes to physician	<ul> <li>Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.</li> </ul>
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

## Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Carbon dioxide, dry chemical, foam and water fog or spray.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: This material is toxic to aquatic life. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide Sulfur oxides phosphorus oxides halogenated compounds metal oxide/oxides
Special protective actions for fire-fighters	: No special measures are required.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

# Section 6. Accidental release measures

Personal precautions, protec	tive equipment and emergency procedures
For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders :	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

## Section 6. Accidental release measures

Environmental precautions :	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.
Methods and materials for co	ntainment and cleaning up
Small spill	: Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	: Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.
Section 7 Handlin	n and storage

### Section 7. Handling and Storage

Precautions for safe handling	
Protective measures	: Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

### Section 8. Exposure controls/personal protection

### **Control parameters**

#### **Occupational exposure limits**

Ingredient name	Exposure limits	
Tungsten disulphide	ACGIH TLV (United States, 6/2013). TWA: 5 mg/m <sup>3</sup> , (as W) 8 hours. STEL: 10 mg/m <sup>3</sup> , (as W) 15 minutes. NIOSH REL (United States, 4/2013). TWA: 5 mg/m <sup>3</sup> , (as W) 10 hours. STEL: 10 mg/m <sup>3</sup> , (as W) 15 minutes. OSHA PEL 1989 (United States, 3/1989). TWA: 5 mg/m <sup>3</sup> , (as W) 8 hours. Form: Insoluble STEL: 10 mg/m <sup>3</sup> , (as W) 15 minutes. Form: Insoluble	
Triphenyl phosphate	ACGIH TLV (United States, 6/2013). TWA: 3 mg/m <sup>3</sup> 8 hours. NIOSH REL (United States, 4/2013). TWA: 3 mg/m <sup>3</sup> 10 hours. OSHA PEL (United States, 2/2013). TWA: 3 mg/m <sup>3</sup> 8 hours.	

# Section 8. Exposure controls/personal protection

Appropriate engineering controls	: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.
Individual protection measure	S
Hygiene measures	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

## Section 9. Physical and chemical properties

Appearance	
Physical state	: Semi-solid.
Color	: Dark grey.
Odor	: Mild petroleum.
Odor threshold	: Not available.
рН	: Not available.
Melting point	: Not available.
Boiling point	: Not available.
Flash point	: Open cup: 176.67°C (350°F) [Cleveland.]
Burning time	: Not available.
Burning rate	: Not available.
Evaporation rate	: Not available.
Flammability (solid, gas)	: Not available.

### Section 9. Physical and chemical properties

Lower and upper explosive : Not available. (flammable) limits

(nannable) mints	
Vapor pressure	: Not available.
Vapor density	: Not available.
Relative density	: 1.27 g/ml
Solubility	: Insoluble in the following materials: cold water and hot water.
Partition coefficient: n- octanol/water	: Not available.
Auto-ignition temperature	: Not available.
Decomposition temperature	: Not available.
SADT	: Not available.
Viscosity	: Not available.

### Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: Do not heat above flash point.
Incompatible materials	: Reactive or incompatible with the following materials: oxidizing materials, acids and alkalis.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### Section 11. Toxicological information

### Information on toxicological effects

### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Triphenyl phosphate	LD50 Dermal	Rabbit	>7900 mg/kg	-
	LD50 Oral	Rat	3500 mg/kg	-
1-Propene, 2-methyl-, sulfurized	LD50 Oral	Rat	8.6 g/kg	-

#### Irritation/Corrosion

There is no data available.

Sensitization

There is no data available.

#### **Mutagenicity**

There is no data available.

#### **Carcinogenicity**

There is no data available.

#### **Reproductive toxicity**

There is no data available.

### Section 11. Toxicological information

### **Teratogenicity**

There is no data available.

#### Specific target organ toxicity (single exposure)

Name		Route of exposure	Target organs
Tungsten disulphide	Category 3	Not applicable.	Respiratory tract irritation

### Specific target organ toxicity (repeated exposure)

There is no data available.

Aspiration hazard

There is no data available.

Information on the likely	: Dermal contact. Ingestion.
---------------------------	------------------------------

### routes of exposure

Potenti	al acute	e health	effects

Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.

### Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.

#### Delayed and immediate effects and also chronic effects from short and long term exposure Short term exposure

exposure Short term expos	Sure	
Potential immediate effects	: No known significant effects or critical hazards.	
Potential delayed effects	: No known significant effects or critical hazards.	
Long term exposure Potential immediate effects	: No known significant effects or critical hazards.	
Potential delayed effects	: No known significant effects or critical hazards	i.
Potential chronic health eff	ects	
General	No known significant effects or critical hazards	5.
Carcinogenicity	: No known significant effects or critical hazards	i.
Mutagenicity	: No known significant effects or critical hazards	).
Teratogenicity	: No known significant effects or critical hazards	).
<b>Developmental effects</b>	: No known significant effects or	critical hazards.
Fertility effects	: No known significant effects or critical hazards.	

### Numerical measures of toxicity Acute toxicity estimates

## Section 12. Ecological information

#### **Toxicity**

Product/ingredient name	Result	Species	Exposure
Triphenyl phosphate	Acute LC50 300 μg/L Fresh water Acute EC50 2000 μg/L Acute EC50 1000 μg/L Acute EC50 225 μg/L Fresh water Chronic NOEC 55 μg/L Fresh water	Daphnia - Daphnia magna Fish - Oncorhynchus mykiss - Fingerling	48 hours 96 hours 48 hours 96 hours 30 days

### Persistence and degradability

There is no data available.

### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
tert-Butylphenyl diphenyl phosphate	5.12	-	high
	4.63	144	Iow

#### Mobility in soil

Soil/water partition coefficient (Koc)

: Not available.

### Other adverse effects : No known significant effects or critical hazards.

### Section 13. Disposal considerations

**Disposal methods** 

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling empty containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

### Section 14. Transport information

	DOT Classification	IMDG	ΙΑΤΑ
UN number	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-
Transport hazard class(es)	-	-	-
Packing group	-	-	-
Environmental hazards	No.	No.	No.
Additional information	-	-	-

**AERG :** Not applicable.

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not available. to Annex II of MARPOL 73/78 and the IBC Code

### Section 15. Regulatory information

U.S. Federal regulations	ions : TSCA 8(a) PAIR: Tungsten disulphide; tert-Butylphenyl diphenyl phosphate; Zinc Alkyldithiophosphate			
TSCA 8(a) CDR Exempt/Partial exemption: Not determined				
	United States inventory (TSCA 8b): All components are listed or exempted.			
	Clean Water Act (CWA) 307: Zinc Alkyldithiophosphate			
Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)	: Diethylene Glycol Monoethylene Ether (.0001535%)			
Clean Air Act Section 602 Class I Substances	: Not listed			
Clean Air Act Section 602 Class II Substances	: Not listed			
DEA List I Chemicals (Precursor Chemicals)	: Not listed			
DEA List II Chemicals (Essential Chemicals)	: Not listed			
SARA 302/304				
Composition/information	on ingredients			
No products were found.				

### Section 15. Regulatory information

### **SARA 304 RQ**

: Not applicable.

SARA 311/312 Classification

#### : Not applicable.

#### Composition/information on ingredients

Name	%	Fire hazard	Sudden release of pressure	Reactive	health	Delayed (chronic) health hazard
Tungsten disulphide	-	No.	No.	No.	Yes.	No.
tert-Butylphenyl diphenyl phosphate		No.	No.	No.	Yes.	No.
1-Propene, 2-methyl-, sulfurized		Yes.	No.	No.	No.	No.

State regulations	
Massachusetts	<ul> <li>The following components are listed: Distillates (petroleum), hydrotreated light naphthenic; Limestone; Natural graphite; Hydrous magnesium silicate; Triphenyl phosphate</li> </ul>
New York	: None of the components are listed.
New Jersey	: The following components are listed: Distillates (petroleum), hydrotreated heavy naphthenic; Distillates (petroleum), hydrotreated light naphthenic; Limestone; Natural graphite; Hydrous magnesium silicate; Triphenyl phosphate; calcium fluoride
Pennsylvania	: The following components are listed: Limestone; Natural graphite; Hydrous magnesium silicate; Triphenyl phosphate
<u>California Prop. 65</u>	
No products were found.	
International regulations	
International lists	: China inventory (IECSC): All components are listed or exempted. Korea inventory: All components are listed or exempted.
Chemical Weapons Convention List Schedule	: Not listed
I Chemicals	
Chemical Weapons Convention List Schedule II Chemicals	: Not listed
Chemical Weapons Convention List Schedule III Chemicals	: Not listed

Petroleum components contained in this product meet the IP 346 criteria of less than 3 percent DMSOextractable components.

### Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health : 2 \* Flammability : 1 Physical hazards :

Caution: HMIS® and NFPA ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks.

0

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.)

Health: 2 Flammability: 1 Instability: 0

## Section 16. Other information

### **History**

Date of issue mm/dd/yy	<b>/yy</b> : 11/28/2016
Version	: 2
Revised Section(s)	: 15
Key to abbreviations	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.